APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,606	02/18/2004	Michael J. Seals	060706-1960	8882

24504   7590   01/07/2008

THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP
600 GALLERIA PARKWAY, S.E.
STE 1500
ATLANTA, GA 30339-5994

EXAMINER
TAYLOR, BARRY W

ART UNIT	PAPER NUMBER
2617	

MAIL DATE	DELIVERY MODE
01/07/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

	Application No.	Applicant(s)
Office Action Summary	10/779,606	SEALS ET AL.
	Examiner	Art Unit	
	Barry W. Taylor	2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _24 October 2007_.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is

closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1-12_ is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1-12_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on _18 February 2004_ is/are: a)☒ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☐ All   b)☐ Some * c)☐ None of:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage

application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
   Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
   Paper No(s)/Mail Date. _____.

5) ☐ Notice of Informal Patent Application

6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of

the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

the various claims was commonly owned at the time any inventions covered therein

were made absent any evidence to the contrary. Applicant is advised of the obligation

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g)

prior art under 35 U.S.C. 103(a).

1.   Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Arvelo (7,082,107) in view of Tamura (2004/0248609).

Regarding claim 1. Arvelo teaches a method for output power dithering for

improved transmitter performance (title, abstract), the method comprising:

transmitting a plurality of packets at a first output power (title, abstract, figures 1

and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines

37-46) ;

determining a first error rate associated with the transmission of the plurality of

packets at the first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3

line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

transmitting the plurality of packets at least one second output power different

from the first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line

63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

determining at least one second error rate associated with the transmission at

the at least one second output power (title, abstract, figures 1 and 3, col. 3 lines 12-33,

col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46); and

identifying a desired output power based at least in part on a comparison

between the first error rate and the at least one second error rate (title, abstract, figures

1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines

37-46).

According to Applicants, Arvelo does not compare error rates to control output

power (see paper dated 5/6/07, page 6).

Tamura also teaches power control by obtaining a difference between Block error

rates (title, abstract, paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for

error rates that temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of

invention to modify the power control method and system as taught by Arvelo to obtain

the difference between block error rates as taught by Tamura in order to prevent

unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

Regarding claim 2. Arvelo teaches a method for output power dithering for improved transmitter performance (title, abstract), the method comprising:

transmitting a plurality of packets at a first output power; determining a first error rate associated with the transmission of the plurality of packets at the first output power; transmitting the plurality of packets at a second output power if the first error rate is greater than a predetermined error rate value, wherein the second output power is different from the first output power; determining a second error rate associated with the transmission at the second output power; and adjusting the second output power if the second error rate is lower than the first error rate (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46).

According to Applicants, Arvelo does not compare error rates to control output power (see paper dated 5/6/07, page 6).

Tamura also teaches power control by obtaining a difference between Block error rates (title, abstract, paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for error rates that temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of invention to modify the power control method and system as taught by Arvelo to obtain the difference between block error rates as taught by Tamura in order to prevent unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

Regarding claim 3. Arvelo teaches where the second output power is adjusted until a desired value of the second error rate is reached (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46).

Regarding claim 4. Arvelo teaches transmitting the plurality of packets at a third output power if the second error rate is not lower than' the first error rate, wherein the third output power is different from the first output power and the second output power; determining a third error rate associated with the transmission at the third output power; and adjusting the third output power if the third error rate is lower than the first error rate (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46).

Regarding claim 5. Arvelo teaches transmitting the plurality of packets at the first output power if the third error rate is not lower than the first error rate (col. 4 lines 43-50).

Regarding claim 6. Arvelo teaches resuming transmission of the plurality of packets at the first output power if the first error rate or the second error rate is not determined based on a predetermined criterion (col. 4 lines 43-50).

Regarding claim 7. Arvelo teaches the first error rate and the second error rate are determined based on a number of failed acknowledgements of transmitted packets (col. 5 lines 21-50).

Regarding claim 8. Arvelo teaches transmission at the first output power and second output power is associated with a variable data rate (title, abstract, col. 3 lines 12-13).

Regarding claim 9. Arvelo teaches wherein the first error rate, the second error rate and the predetermined error rate value are associated with the variable data rate (title, abstract, col. 3 lines 12-13).

Regarding claim 10. Arvelo teaches a system for output power dithering for improved transmitter performance (title, abstract), the system comprising:

a transmitter that transmits a plurality of packets at a first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46); and

a processor that determines a first error rate associated with the transmission of the plurality of packets at the first output power;

causes the transmitter to transmit the plurality of packets at least one second output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

determines at least one second error rate associated with the transmission at the at least one second output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46); and

identifies a desired output power based at least in part on a comparison between the first error rate and the at least one second error rate (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46).

According to Applicants, Arvelo does not compare error rates to control output power (see paper dated 5/6/07, page 6).

Tamura also teaches power control by obtaining a difference between Block error rates (title, abstract, paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for error rates that temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of invention to modify the power control method and system as taught by Arvelo to obtain the difference between block error rates as taught by Tamura in order to prevent unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

Regarding claim 11. Arvelo teaches a system for output power dithering for improved transmitter performance (title, abstract), the system comprising:

means for transmitting a plurality of packets at a first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

means for determining a first error rate associated with the transmission of the plurality of packets at the first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

means for transmitting the plurality of packets at least one second output power different from the first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

means for determining at least one second error rate associated with the transmission at the at least one second output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46); and

means for identifying a desired output power based at least in part on a comparison between the first error rate and the at least one second error rate (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46).

According to Applicants, Arvelo does not compare error rates to control output power (see paper dated 5/6/07, page 6).

Tamura also teaches power control by obtaining a difference between Block error rates (title, abstract, paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for error rates that temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of invention to modify the power control method and system as taught by Arvelo to obtain the difference between block error rates as taught by Tamura in order to prevent unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

Regarding claim 12. Arvelo teaches a computer readable medium having code for causing a processor to perform output power dithering for improved transmitter performance (title, abstract, col. 9 lines 38-46), the computer readable medium comprising:

code adapted to transmit a plurality of packets at a first output power (title, abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

code adapted to determine a first error rate associated with the transmission of
the plurality of packets at the first output power (title, abstract, figures 1 and 3, col. 3
lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

code adapted to transmit the plurality of packets at least one second output
power different from the first output power (title, abstract, figures 1 and 3, col. 3 lines 12-
33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46);

code adapted to determine at least one second error rate associated with the
transmission at the at least one second output power (title, abstract, figures 1 and 3, col.
3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-61, col. 10 lines 37-46); and

code adapted to identify a desired output power based at least in part on a
comparison between the first error rate and the at least one second error rate (title,
abstract, figures 1 and 3, col. 3 lines 12-33, col. 3 line 63 – col. 4 line 65, col. 5 lines 21-
61, col. 10 lines 37-46).

According to Applicants, Arvelo does not compare error rates to control output
power (see paper dated 5/6/07, page 6).

Tamura also teaches power control by obtaining a difference between Block error
rates (title, abstract, paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for
error rates that temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of
invention to modify the power control method and system as taught by Arvelo to obtain
the difference between block error rates as taught by Tamura in order to prevent

unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

Response to Arguments

2.   Applicant's arguments filed 10/24/07 have been fully considered but they are not persuasive.

a) Applicants generally argue that independent claim 1 requires (see paper dated 10/24/07, page 6):

transmitting a plurality of packets at a first output power,

determining a first error rate associated with the transmission of the plurality of packets at the first output power;

transmitting the plurality of packets at at least one second output power different from the first output power,

determining at least one second error rate associated with the transmission at the at least one second output power; and

identifying a desired output power based at least in part on a comparison between the first error rate and the at least one second error rate.

The Examiner notes that Applicants specification and other independent claims also contain minor errors. For example, Applicants abstract recites "transmitting the plurality of packets at at least". Applicants independent claims (i.e. claims 1, 2, 10, 11, and 12 recite the same "at at").

b) Next, Applicants argue that prior art fails to teach "retransmission of the first

transmitted packets" (see last two lines on page 6, paper dated 10/24/07).

In response to applicant's argument that the references fail to show certain

features of applicant's invention, it is noted that the features upon which applicant relies

(i.e., "retransmission of the first transmitted packets") are not recited in the rejected

claim(s). Although the claims are interpreted in light of the specification, limitations from

the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26

USPQ2d 1057 (Fed. Cir. 1993).

c) Applicants start repeating arguments (see page 7, paper dated 10/24/07)

wherein Applicants contend that prior art does not teach transmission of a plurality of

packets at a first power level and a second transmission of the plurality of packets at a

second power level.

The Examiner disagrees. See Examiners rejection listed above. Arvelo teaches

power control in wireless communications based on Packet Error Rate but is silent with

respect to comparing error rates to control output power. However, Tamura teaches

power control by obtaining a difference between Block error rates (title, abstract,

paragraphs 0003, 0005 – 0006, 0020 – 0024) so as to account for error rates that

temporarily increase or decrease.

It would have been obvious for any one of ordinary skill in the art at the time of

invention to modify the power control method and system as taught by Arvelo to obtain

the difference between block error rates as taught by Tamura in order to prevent

unnecessary power increase caused in response to temporary quality degradation as disclosed by Tamura (paragraph 0022).

d) Applicants generally argue that prior art cited by the Examiner does not mention "retransmission" (see page 9 continuing to page 10).

The Examiner is not sure what Applicants consider the invention to be? The Examiner notes that Applicants specification generally teaches using PER (i.e. Packet Error Rate) wherein the PER occurs when acknowledgement of a transmitted packet is not received correctly. The PER may be measured, for example, by counting the number of packet errors that occur **over a predetermined time interval** (see Applicants specification pages 6-8 and figure 1). Arvelo indeed teaches power control in conjunction with Packet Error Rate (see Examiner rejection listed above). However, Applicants independent claims are extremely vague and "retransmission" is not recited.

e) Applicants repeat the argument (i.e. prior art does not teach "retransmission") for dependent claim 4 (see bottom of page 10 continuing to page 11).

The Examiner notes that Applicants independent claims are extremely vague and do not require "retransmission" and Applicants figures 1 and 2 are also silent with respect to "retransmission".

f) The Examiner is providing Applicants with additional references to assist in future amendments to claims and/or arguments.

---(2007/0021071) Brouwer teaches that it is advantageous to operate a system at various retransmission rates depending on BLOCK ERROR RATES (see at least paragraph 0038) and comparison of BLER (see last nine lines of paragraph 0041 and

the last seven lines of paragraph 0046 and the last seven lines of independent claim

54).

    ---(2005/0097409) Shin et al teaches method for controlling power level based on

Packet Error Rate (a.k.a. PER) in wireless environment (title, abstract, paragraph 0018).

Conclusion

3.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

    A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

4.   The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

    ---(2007/0021071) Brouwer teaches that it is advantageous to operate a system

at various retransmission rates depending on BLOCK ERROR RATES (see at least

paragraph 0038) and comparison of BLER (see last nine lines of paragraph 0041 and

the last seven lines of paragraph 0046 and the last seven lines of independent claim

54).

     ---(2005/0097409) Shin et al teaches method for controlling power level based on

Packet Error Rate (a.k.a. PER) in wireless environment (title, abstract, paragraph 0018).

5.   Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Barry W. Taylor, telephone number (571) 272-7509, who
is available Monday-Thursday, 6:30am to 5pm.

     If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, William Trost, can be reached at (571) 272-7872. The central facsimile
phone number for this group is **571-273-8300**.

     Any inquiry of a general nature or relating to the status of this application or
proceeding should be directed to the Group 2600 receptionist whose telephone number is
(571) 272-2600, the 2600 Customer Service telephone number is (571) 272-2600.

     Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval (PAIR) system. Status information for
published applications may be obtained from either Private PAIR or Public PAIR. Status
information for unpublished applications is available through Private PAIR only. For
more information about the PAIR system, see http://pair-direct.uspto.gov. Should you
have questions on access to the Private PAIR system, contact the Electronic Business
Center (EBC) at 866-217-9197 (toll-free).

Centralized Delivery Policy: For patent related correspondence, hand carry
deliveries must be made to the Customer Service Window (now located at the Randolph
Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must
be sent to the central fax number (**571-273-8300**).

Barry W. Taylor
Art Unit 2617

Barry W Taylor / 12/27/07

BARRY TAYLOR
PRIMARY EXAMINER